

<b>Model</b>	<b>719VAPLUS 19ID</b>
<b>General features</b>	
Size	17" / 43,2 cm
Aspect Ratio	5.4
Panel Type	WLED / TN
Brightness	300
Response time	5ms
Contrast Dynamic	10K:1
Contrast Typical	1000:01:00
Viewing angle (CR:5 CR:10)	178/170 170/160
Maximum resolution	1280x1024@75Hz
Color	Silver/Black
Speakers	1W
<b>Connectivity</b>	
D-Sub	x1
DVI-D	x1
HDMI	
DisplayPort	
MHL	
USB	
Audio out / Headphone	
<b>Physical feature / Ergonomics</b>	
High adjustment / Pivot / Swivel	- / - / -
Tilt	-0.277777778
Weight	3,86
Dimension (WxHxD)	371.6x326.7x58.9
Wall mount	100x100
<b>Energy efficiency</b>	
Power consumption ON MODE	37w
Power consumption STANDBY MODE	<0.5w
Power consumption OFF MODE	<0.5w
Power source	AC
<b>Certifications</b>	
EnergyStar	EPA 5.0
TCO	TCO 03
EPEAT	-

<b>Model</b>	<b>A2072PWH/BK 72ID</b>
<b>General features</b>	
Size	19,5" / 49,5 cm
Aspect Ratio	16.9
Panel Type	WLED / TN
Brightness	250
Response time	TBC
Contrast Dynamic	20M:1
Contrast Typical	<b>1000:01:00</b>
Viewing angle (CR:5 CR:10)	178/170 170/160
Maximum resolution	TBC
Color	Black/Silver
Speakers	2x2W
<b>Connectivity</b>	
D-Sub	x1
DVI-D	-
HDMI	x1
DisplayPort	
MHL	
USB	
Audio out / Headphone	•
<b>Physical feature / Ergonomics</b>	
High adjustment / Pivot / Swivel	- / - / -
Tilt	TBC
Weight	TBC
Dimension (WxHxD)	TBC
Wall mount	75x75
<b>Energy efficiency</b>	
Power consumption ON MODE	TBC
Power consumption STANDBY MODE	TBC
Power consumption OFF MODE	TBC
Power source	DC
<b>Certifications</b>	
EnergyStar	EPA 6.1
TCO	TCO 6.0
EPEAT	

<b>Model</b>	<b>A2272PWH/BK / A2272PW4T/BK 72ID</b>
<b>General features</b>	
Size	21,5" / 54,6 cm
Aspect Ratio	16.9
Panel Type	WLED /TN WLED / ADS
Brightness	250
Response time	5msGTG(BW)
Contrast Dynamic	50M:1
Contrast Typical	<b>1000:01:00</b>
Viewing angle (CR:5 CR:10)	(CR:10) 170/160 / 178/178
Maximum resolution	1920x1080@60Hz
Color	Black/Silver
Speakers	2x2W
<b>Connectivity</b>	
D-Sub	x1
DVI-D	-
HDMI	x1
DisplayPort	
MHL	
USB	4x 2.0
Audio out / Headphone	•
<b>Physical feature / Ergonomics</b>	
High adjustment / Pivot / Swivel	- / - / -
Tilt	<b>0.263157895</b>
Weight	TBC
Dimension (WxHxD)	TBC
Wall mount	75x75
<b>Energy efficiency</b>	
Power consumption ON MODE	TBC
Power consumption STANDBY MODE	TBC
Power consumption OFF MODE	TBC
Power source	DC
<b>Certifications</b>	
EnergyStar	EPA 6.0
TCO	TCO 6.0
EPEAT	

<b>Model</b>	<b>A2472PW4T/BK 72ID</b>
<b>General features</b>	
Size	23,6" / 59,9 cm
Aspect Ratio	16.9
Panel Type	WLED / ADS
Brightness	250
Response time	2ms GTG(BW)
Contrast Dynamic	50M:1
Contrast Typical	<b>1000:01:00</b>
Viewing angle (CR:5 CR:10)	178/170 170/160
Maximum resolution	1920x1080@60Hz
Color	Black/Silver
Speakers	2x2W
<b>Connectivity</b>	
D-Sub	x1
DVI-D	-
HDMI	x1
DisplayPort	
MHL	
USB	2x 2.0
Audio out / Headphone	•
<b>Physical feature / Ergonomics</b>	
High adjustment / Pivot / Swivel	- / - / -
Tilt	<b>0.263157895</b>
Weight	TBC
Dimension (WxHxD)	TBC
Wall mount	75x75
<b>Energy efficiency</b>	
Power consumption ON MODE	TBC
Power consumption STANDBY MODE	TBC
Power consumption OFF MODE	TBC
Power source	DC
<b>Certifications</b>	
EnergyStar	EPA 6.0
TCO	TCO 6.0
EPEAT	

<b>Model</b>	<b>D2367PH 67ID</b>
<b>General features</b>	
Size	23" / 58,4 cm
Aspect Ratio	16.9
Panel Type	WLED / AH-IPS
Brightness	250
Response time	6ms GTG(BW)
Contrast Dynamic	50M:1
Contrast Typical	<b>1000:01:00</b>
Viewing angle (CR:5 CR:10)	178/178 178/178
Maximum resolution	1920x1080@60Hz
Color	Silver
Speakers	2W
<b>Connectivity</b>	
D-Sub	x1
DVI-D	-
HDMI	x2
DisplayPort	
MHL	
USB	
Audio out / Headphone	•
<b>Physical feature / Ergonomics</b>	
High adjustment / Pivot / Swivel	- / - / -
Tilt	<b>-0.333333333</b>
Weight	3,75
Dimension (WxHxD)	531.4x394.4x120.6
Wall mount	
<b>Energy efficiency</b>	
Power consumption ON MODE	33w
Power consumption STANDBY MODE	0.5w
Power consumption OFF MODE	0.5w
Power source	DC
<b>Certifications</b>	
EnergyStar	EPA 5.0
TCO	TCO 5.0
EPEAT	

<b>Model</b>	<b>D2757PH 57ID</b>
<b>General features</b>	
Size	27" / 68,6 cm
Aspect Ratio	16.9
Panel Type	WLED / AH-IPS
Brightness	250
Response time	6ms GTG(BW)
Contrast Dynamic	20M:1
Contrast Typical	<b>1000:01:00</b>
Viewing angle (CR:5 CR:10)	178/178 178/178
Maximum resolution	1920x1080@60Hz
Color	Silver/Black
Speakers	2W
<b>Connectivity</b>	
D-Sub	x1
DVI-D	-
HDMI	x2
DisplayPort	
MHL	
USB	
Audio out / Headphone	•
<b>Physical feature / Ergonomics</b>	
High adjustment / Pivot / Swivel	- / - / -
Tilt	<b>-0.33333333</b>
Weight	5,7
Dimension (WxHxD)	622×449×130
Wall mount	
<b>Energy efficiency</b>	
Power consumption ON MODE	40w
Power consumption STANDBY MODE	0,5w
Power consumption OFF MODE	0,5w
Power source	DC
<b>Certifications</b>	
EnergyStar	EPA 5.0
TCO	TCO 5.0
EPEAT	

<b>Model</b>	<b>D2769VH 69ID</b>
<b>General features</b>	
Size	27" / 68,6 cm
Aspect Ratio	16.9
Panel Type	WLED / AH-IPS
Brightness	250
Response time	5ms GTG(BW)
Contrast Dynamic	50M:1
Contrast Typical	1000:01:00
Viewing angle (CR:5 CR:10)	178/178 178/178
Maximum resolution	1920x1080@60Hz
Color	Silver
Speakers	2W
<b>Connectivity</b>	
D-Sub	x1
DVI-D	-
HDMI	x2
DisplayPort	
MHL	
USB	
Audio out / Headphone	•
<b>Physical feature / Ergonomics</b>	
High adjustment / Pivot / Swivel	- / - / -
Tilt	-0.3333333333
Weight	4,99
Dimension (WxHxD)	622x449x130
Wall mount	75x75
<b>Energy efficiency</b>	
Power consumption ON MODE	43w
Power consumption STANDBY MODE	0.5w
Power consumption OFF MODE	0.5w
Power source	AC
<b>Certifications</b>	
EnergyStar	EPA 6.0
TCO	TCO 5.0
EPEAT	

<b>Model</b>	<b>E719SDA 19ID</b>
<b>General features</b>	
Size	17" / 43,2 cm
Aspect Ratio	5.4
Panel Type	WLED / TN
Brightness	250
Response time	5ms
Contrast Dynamic	20M:1
Contrast Typical	1000:01:00
Viewing angle (CR:5 CR:10)	178/170 170/160
Maximum resolution	1280x1024@75Hz
Color	Silver/Black
Speakers	1W
<b>Connectivity</b>	
D-Sub	x1
DVI-D	x1
HDMI	
DisplayPort	
MHL	
USB	
Audio out / Headphone	
<b>Physical feature / Ergonomics</b>	
High adjustment / Pivot / Swivel	- / - / -
Tilt	-0.277777778
Weight	3,86
Dimension (WxHxD)	371.6x326.7x58.9
Wall mount	100x100
<b>Energy efficiency</b>	
Power consumption ON MODE	TBC
Power consumption STANDBY MODE	TBC
Power consumption OFF MODE	TBC
Power source	AC
<b>Certifications</b>	
EnergyStar	EPA 6.0
TCO	TCO 6.0
EPEAT	Silver



<b>Model</b>	<b>E950SWDA / E950SWDAK 50ID</b>
<b>General features</b>	
Size	18,5" / 47 cm
Aspect Ratio	16.9
Panel Type	WLED / TN
Brightness	200   250
Response time	5ms
Contrast Dynamic	20M:1
Contrast Typical	700:1   1000:1
Viewing angle (CR:5 CR:10)	178/170 170/160
Maximum resolution	1366x768@60Hz
Color	Black
Speakers	2W
<b>Connectivity</b>	
D-Sub	x1
DVI-D	x1
HDMI	
DisplayPort	
MHL	
USB	
Audio out / Headphone	
<b>Physical feature / Ergonomics</b>	
High adjustment / Pivot / Swivel	- / - / -
Tilt	-0.33333333
Weight	2,63
Dimension (WxHxD)	444.35x342x175
Wall mount	75x75
<b>Energy efficiency</b>	
Power consumption ON MODE	19w
Power consumption STANDBY MODE	0.3w
Power consumption OFF MODE	0.2w
Power source	AC
<b>Certifications</b>	
EnergyStar	EPA 5.0
TCO	TCO 5.0   -
EPEAT	Silver I -

<b>Model</b>	<b>E960PDA 60ID</b>
<b>General features</b>	
Size	19" / 48,3 cm
Aspect Ratio	16.1
Panel Type	WLED / TN
Brightness	250
Response time	5ms
Contrast Dynamic	20M:1
Contrast Typical	1000:01:00
Viewing angle (CR:5 CR:10)	178/170 170/160
Maximum resolution	1440x900@75Hz
Color	Black
Speakers	2W
<b>Connectivity</b>	
D-Sub	x1
DVI-D	x1
HDMI	
DisplayPort	
MHL	
USB	
Audio out / Headphone	
<b>Physical feature / Ergonomics</b>	
High adjustment / Pivot / Swivel	• / • / -
Tilt	-0.25
Weight	4,21
Dimension (WxHxD)	442.2x382.5(+130)x244.5
Wall mount	100x100
<b>Energy efficiency</b>	
Power consumption ON MODE	35w
Power consumption STANDBY MODE	0.5w
Power consumption OFF MODE	0.3w
Power source	AC
<b>Certifications</b>	
EnergyStar	EPA 5.0
TCO	TCO 5.0
EPEAT	Gold

<b>Model</b>	<b>E960PRDA / E960PRDAS 60ID</b>
<b>General features</b>	
Size	19" / 48,3 cm
Aspect Ratio	5.4
Panel Type	WLED / TN
Brightness	250
Response time	5ms
Contrast Dynamic	20M:1
Contrast Typical	1000:01:00
Viewing angle (CR:5 CR:10)	178/170 170/160
Maximum resolution	1280x1024@75Hz
Color	Black Silver
Speakers	2W
<b>Connectivity</b>	
D-Sub	x1
DVI-D	x1
HDMI	
DisplayPort	
MHL	
USB	
Audio out / Headphone	
<b>Physical feature / Ergonomics</b>	
High adjustment / Pivot / Swivel	• / • / -
Tilt	-0.25
Weight	4,77
Dimension (WxHxD)	409.2x432.2(+130)x210
Wall mount	100x100
<b>Energy efficiency</b>	
Power consumption ON MODE	22w
Power consumption STANDBY MODE	<0.5w
Power consumption OFF MODE	<0.5w
Power source	AC
<b>Certifications</b>	
EnergyStar	EPA 5.0
TCO	TCO 5.0
EPEAT	Silver

<b>Model</b>	<b>E960SD / E960SDA 60ID</b>
<b>General features</b>	
Size	19" / 48,3 cm
Aspect Ratio	16:1
Panel Type	WLED / TN
Brightness	250
Response time	5ms
Contrast Dynamic	20M:1
Contrast Typical	1000:01:00
Viewing angle (CR:5 CR:10)	178/170 170/160
Maximum resolution	1440x900@60Hz / 75Hz
Color	Black
Speakers	2W
<b>Connectivity</b>	
D-Sub	x1
DVI-D	x1
HDMI	
DisplayPort	
MHL	
USB	
Audio out / Headphone	
<b>Physical feature / Ergonomics</b>	
High adjustment / Pivot / Swivel	- / - / -
Tilt	-0.25
Weight	2,29
Dimension (WxHxD)	442.2x359.53x185
Wall mount	100x100
<b>Energy efficiency</b>	
Power consumption ON MODE	35w
Power consumption STANDBY MODE	<0.5w 0.3w
Power consumption OFF MODE	0.3w 0.2w
Power source	AC
<b>Certifications</b>	
EnergyStar	EPA 5.0
TCO	TCO 5.0
EPEAT	Gold

<b>Model</b>	<b>E960SRD / E960SRDA 60ID</b>
<b>General features</b>	
Size	19" / 48,3 cm
Aspect Ratio	5.4
Panel Type	WLED / TN
Brightness	250
Response time	5ms
Contrast Dynamic	20M:1
Contrast Typical	1000:01:00
Viewing angle (CR:5 CR:10)	178/170 170/160
Maximum resolution	1280x1024@75Hz
Color	Black
Speakers	2W
<b>Connectivity</b>	
D-Sub	x1
DVI-D	x1
HDMI	
DisplayPort	
MHL	
USB	
Audio out / Headphone	
<b>Physical feature / Ergonomics</b>	
High adjustment / Pivot / Swivel	- / - / -
Tilt	-0.25
Weight	2,85
Dimension (WxHxD)	409.2x405.1x210
Wall mount	100x100
<b>Energy efficiency</b>	
Power consumption ON MODE	22w
Power consumption STANDBY MODE	0.3w
Power consumption OFF MODE	0.2w
Power source	AC
<b>Certifications</b>	
EnergyStar	EPA 5.0
TCO	TCO 5.0
EPEAT	Silver