

Model	F10B8MD1
Tool	Mega II Pro
Suffix	ABWPCOM
Type	SL
Origin	China
Features	
Model type	Front loader
Color	White
Max Wash Capacity(kg)	5.5
Max Dry Capacity(kg)	-
Drum Volume(L)	44
Intelligent Washing System	○
Auto Balance	○
Load detect	○
Foam sensing & removal	○
Variable Spin speed	1000/800/400/No spin
Variable Temperature(°C)	Cold/30/40/60/95 °C
Cycle Reserve System	○
Standby Power zero	○
Spray Rinse system	○
Door Switch type	Manual Door
Motor type	Direct Drive
Display	Big LED
Steam	-
Inner Drum	Embossing
Drum Lifter	Normal Lifter
Smart Diagnosis	○
Door size(mm)	300 mm
Door Opening Angle(°)	180°
Door Rim	Silver
Aqua-Lock	-
6 Motion	○
Performance	
Water Consumption (wash)(L)	56
Water Consumption (dry)(L)	-
Energy Consumption cold(kWh)	1.02
Cycle Time (Default+Half load)(min.)	72
Energy Efficiency Class	A++
Washing Performance	A
Spin Drying Class	B
Spin Drying Performance (%)	0.58
Noise level -Wash (dBA)	54
Noise level -Spin (dBA)	72
Programs (course)	13
Refresh	
Allergy Care	
Baby Care	0
Skin care	0
Cotton	0
Cotton Eco	0
Cotton Quick	
Synthetic(Easy care)	0
Daily wash	
Mix load	0
Dark wash	
Sports wear	0

Silent wash	
Delicate	0
Hand Wash/Wool	0
Quick30	0
Duvet (Bulky)	0
Half load+	
Intensive 60	0
White	
Bed cover (Blanket)	
Boiling Care	
Bio Care	
Rinse+Spin	0
Spin	
Drain	
Dry Only	
Wash+Dry(6kg/6kg)	
Cupboard Dry	
Iron Dry	
Low Temp Dry	
Time Dry	
Additional Options	9
Prewash	0
Soak	
Normal	
Rinse Hold	0
Normal+ Hold	
Rinse+	
Rinse++	
Rinse+ Hold	
Rinse+ Spin	
Steam wash	
Medic Rinse	0
Intensive	0
Crease Care(Wrinkle free)	0
Tub Clean	0
Spin Only	
No Spin	0
Child-Lock	0
Beeper On/Off	
BIO	
Time Delay	0
Favorite	
Water Plus	
Time save	
Dry	
Dimension	0
Dimension (W*D*H)	600x440x850 mm
Dimension with packing (W*D*H)	660x540x890 mm
Weight(kg)	59
Weight with packing(kg)	64
Adjustable Leg	10

Model	F10B8MD5
Tool	Mega II Pro
Suffix	ALSPCOM
Type	SL
Origin	China
Features	
Model type	Front loader
Color	Silver
Max Wash Capacity(kg)	5.5
Max Dry Capacity(kg)	-
Drum Volume(L)	44
Intelligent Washing System	O
Auto Balance	O
Load detect	O
Foam sensing & removal	O
Variable Spin speed	1000/800/400/No spin
Variable Temperature(°C)	Cold/30/40/60/95 °C
Cycle Reserve System	O
Standby Power zero	O
Spray Rinse system	O
Door Switch type	Manual Door
Motor type	Direct Drive
Display	Big LED
Steam	-
Inner Drum	Embossing
Drum Lifter	Normal Lifter
Smart Diagnosis	O
Door size(mm)	300 mm
Door Opening Angle(°)	180°
Door Rim	Silver
Aqua-Lock	-
6 Motion	O
Performance	
Water Consumption (wash)(L)	56
Water Consumption (dry)(L)	-
Energy Consumption cold(kWh)	1.02
Cycle Time (Default+Half load)(min.)	72
Energy Efficiency Class	A++
Washing Performance	A
Spin Drying Class	B
Spin Drying Performance (%)	0.58
Noise level -Wash (dBA)	54
Noise level -Spin (dBA)	72
Programs (course)	13
Refresh	
Allergy Care	
Baby Care	0
Skin care	0
Cotton	0
Cotton Eco	0
Cotton Quick	
Synthetic(Easy care)	0
Daily wash	
Mix load	0
Dark wash	
Sports wear	0

Silent wash	
Delicate	0
Hand Wash/Wool	0
Quick30	0
Duvet (Bulky)	0
Half load+	
Intensive 60	0
White	
Bed cover (Blanket)	
Boiling Care	
Bio Care	
Rinse+Spin	0
Spin	
Drain	
Dry Only	
Wash+Dry(6kg/6kg)	
Cupboard Dry	
Iron Dry	
Low Temp Dry	
Time Dry	
Additional Options	9
Prewash	0
Soak	
Normal	
Rinse Hold	0
Normal+ Hold	
Rinse+	
Rinse++	
Rinse+ Hold	
Rinse+ Spin	
Steam wash	
Medic Rinse	0
Intensive	0
Crease Care(Wrinkle free)	0
Tub Clean	0
Spin Only	
No Spin	0
Child-Lock	0
Beeper On/Off	
BIO	
Time Delay	0
Favorite	
Water Plus	
Time save	
Dry	
Dimension	0
Dimension (W*D*H)	600x440x850 mm
Dimension with packing (W*D*H)	660x540x890 mm
Weight(kg)	59
Weight with packing(kg)	64
Adjustable Leg	10

Model	F10B8ND
Tool	Mega II Pro
Suffix	ABWPCOM
Type	SL
Origin	China
Features	
Model type	Front loader
Color	White
Max Wash Capacity(kg)	6
Max Dry Capacity(kg)	-
Drum Volume(L)	44
Intelligent Washing System	O
Auto Balance	O
Load detect	O
Foam sensing & removal	O
Variable Spin speed	1000/800/400/No spin
Variable Temperature(°C)	Cold/30/40/60/95 °C
Cycle Reserve System	O
Standby Power zero	O
Spray Rinse system	O
Door Switch type	Manual Door
Motor type	Direct Drive
Display	Big LED
Steam	-
Inner Drum	Embossing
Drum Lifter	Normal Lifter
Smart Diagnosis	O
Door size(mm)	300 mm
Door Opening Angle(°)	180°
Door Rim	White
Aqua-Lock	-
6 Motion	O
Performance	
Water Consumption (wash)(L)	56
Water Consumption (dry)(L)	-
Energy Consumption cold(kWh)	1.02
Cycle Time (Default+Half load)(min.)	72
Energy Efficiency Class	A++
Washing Performance	A
Spin Drying Class	B
Spin Drying Performance (%)	0.58
Noise level -Wash (dBA)	54
Noise level -Spin (dBA)	72
Programs (course)	13
Refresh	
Allergy Care	
Baby Care	0
Skin care	0
Cotton	0
Cotton Eco	0
Cotton Quick	
Synthetic(Easy care)	0
Daily wash	
Mix load	0
Dark wash	
Sports wear	0

Silent wash	
Delicate	0
Hand Wash/Wool	0
Quick30	0
Duvet (Bulky)	0
Half load+	
Intensive 60	0
White	
Bed cover (Blanket)	
Boiling Care	
Bio Care	
Rinse+Spin	0
Spin	
Drain	
Dry Only	
Wash+Dry(6kg/6kg)	
Cupboard Dry	
Iron Dry	
Low Temp Dry	
Time Dry	
Additional Options	9
Prewash	0
Soak	
Normal	
Rinse Hold	0
Normal+ Hold	
Rinse+	
Rinse++	
Rinse+ Hold	
Rinse+ Spin	
Steam wash	
Medic Rinse	0
Intensive	0
Crease Care(Wrinkle free)	0
Tub Clean	0
Spin Only	
No Spin	0
Child-Lock	0
Beeper On/Off	
BIO	
Time Delay	0
Favorite	
Water Plus	
Time save	
Dry	
Dimension	0
Dimension (W*D*H)	600x440x850 mm
Dimension with packing (W*D*H)	660x540x890 mm
Weight(kg)	59
Weight with packing(kg)	64
Adjustable Leg	10

Model	F10B8ND5
Tool	Mega II Refresh
Suffix	ALSPCOM
Type	SL
Origin	China
Features	
Model type	Front loader
Color	Silver
Max Wash Capacity(kg)	6
Max Dry Capacity(kg)	-
Drum Volume(L)	44
Intelligent Washing System	O
Auto Balance	O
Load detect	O
Foam sensing & removal	O
Variable Spin speed	1000/800/400/No spin
Variable Temperature(°C)	Cold/30/40/60/95 °C
Cycle Reserve System	O
Standby Power zero	O
Spray Rinse system	O
Door Switch type	Manual Door
Motor type	Direct Drive
Display	Big LED
Steam	-
Inner Drum	Embossing
Drum Lifter	Normal Lifter
Smart Diagnosis	O
Door size(mm)	300 mm
Door Opening Angle(°)	180°
Door Rim	Silver
Aqua-Lock	-
6 Motion	O
Performance	
Water Consumption (wash)(L)	56
Water Consumption (dry)(L)	-
Energy Consumption cold(kWh)	1.02
Cycle Time (Default+Half load)(min.)	72
Energy Efficiency Class	A++
Washing Performance	A
Spin Drying Class	B
Spin Drying Performance (%)	0.58
Noise level -Wash (dBA)	54
Noise level -Spin (dBA)	72
Programs (course)	13
Refresh	
Allergy Care	
Baby Care	0
Skin care	0
Cotton	0
Cotton Eco	0
Cotton Quick	
Synthetic(Easy care)	0
Daily wash	
Mix load	0
Dark wash	
Sports wear	0

Silent wash	
Delicate	0
Hand Wash/Wool	0
Quick30	0
Duvet (Bulky)	0
Half load+	
Intensive 60	0
White	
Bed cover (Blanket)	
Boiling Care	
Bio Care	
Rinse+Spin	0
Spin	
Drain	
Dry Only	
Wash+Dry(6kg/6kg)	
Cupboard Dry	
Iron Dry	
Low Temp Dry	
Time Dry	
Additional Options	9
Prewash	0
Soak	
Normal	
Rinse Hold	0
Normal+ Hold	
Rinse+	
Rinse++	
Rinse+ Hold	
Rinse+ Spin	
Steam wash	
Medic Rinse	0
Intensive	0
Crease Care(Wrinkle free)	0
Tub Clean	0
Spin Only	
No Spin	0
Child-Lock	0
Beeper On/Off	
BIO	
Time Delay	0
Favorite	
Water Plus	
Time save	
Dry	
Dimension	0
Dimension (W*D*H)	600x440x850 mm
Dimension with packing (W*D*H)	660x540x890 mm
Weight(kg)	59
Weight with packing(kg)	64
Adjustable Leg	10

Model	F10B8QD
Tool	Mega II Pro
Suffix	ABWPCOM
Type	STD
Origin	China
Features	
Model type	Front Loading
Color	White
Max Wash Capacity(kg)	7
Max Dry Capacity(kg)	-
Drum Volume(L)	58
Intelligent Washing System	○
Auto Balance	○
Load detect	○
Foam sensing & removal	○
Variable Spin speed	1000/800/400/No spin
Variable Temperature(°C)	Cold/30/40/60/95 °C
Cycle Reserve System	○
Standby Power zero	○
Spray Rinse system	-
Door Switch type	Manual Door
Motor type	Direct Drive
Display	Big LED
Steam	-
Inner Drum	Embossing
Drum Lifter	Waved Lifter
Smart Diagnosis	○
Door size(mm)	300 mm
Door Opening Angle(°)	180°
Door Rim	White
Aqua-Lock	-
6 Motion	○
Performance	
Water Consumption (wash)(L)	49
Water Consumption (dry)(L)	
Energy Consumption cold(kWh)	0.91
Cycle Time (Default+Half load)(min.)	94
Energy Efficiency Class	A+++
Washing Performance	A
Spin Drying Class	B
Spin Drying Performance (%)	0.53
Noise level -Wash (dBA)	54
Noise level -Spin (dBA)	74
Programs (course)	13
Refresh	
Allergy Care	
Baby Care	0
Skin care	0
Cotton	0
Cotton Eco	0
Cotton Quick	
Synthetic(Easy care)	0
Daily wash	
Mix load	0
Dark wash	
Sports wear	0

Silent wash	
Delicate	0
Hand Wash/Wool	0
Quick30	0
Duvet (Bulky)	0
Half load+	
Intensive 60	0
White	
Bed cover (Blanket)	
Boiling Care	
Bio Care	
Rinse+Spin	0
Spin	
Drain	
Dry Only	
Wash+Dry(6kg/6kg)	
Cupboard Dry	
Iron Dry	
Low Temp Dry	
Time Dry	
Additional Options	9
Prewash	0
Soak	
Normal	
Rinse Hold	0
Normal+ Hold	
Rinse+	
Rinse++	
Rinse+ Hold	
Rinse+ Spin	
Steam wash	
Medic Rinse	0
Intensive	0
Crease Care(Wrinkle free)	0
Tub Clean	0
Spin Only	
No Spin	0
Child-Lock	0
Beeper On/Off	
BIO	
Time Delay	0
Favorite	
Water Plus	
Time save	
Dry	
Dimension	
Dimension (W*D*H)	600x550x850 mm
Dimension with packing (W*D*H)	660x660x890 mm
Weight(kg)	63
Weight with packing(kg)	67
Adjustable Leg	10

Model	F10B9LD
Tool	Mega II Win
Suffix	ABWPCOM
Type	SL
Origin	China
Features	
Model type	Front loader
Color	White
Max Wash Capacity(kg)	5
Max Dry Capacity(kg)	-
Drum Volume(L)	44
Intelligent Washing System	O
Auto Balance	O
Load detect	O
Foam sensing & removal	O
Variable Spin speed	1000/800/400/No spin
Variable Temperature(°C)	Cold/30/40/60/95 °C
Cycle Reserve System	O
Standby Power zero	O
Spray Rinse system	-
Door Switch type	Manual Door
Motor type	Direct Drive
Display	Big LED
Steam	-
Inner Drum	Embossing
Drum Lifter	Normal Lifter
Smart Diagnosis	O
Door size(mm)	300 mm
Door Opening Angle(°)	180°
Door Rim	White
Aqua-Lock	-
6 Motion	O
Performance	
Water Consumption (wash)(L)	56
Water Consumption (dry)(L)	-
Energy Consumption cold(kWh)	1.02
Cycle Time (Default+Half load)(min.)	72
Energy Efficiency Class	A++
Washing Performance	A
Spin Drying Class	B
Spin Drying Performance (%)	0.58
Noise level -Wash (dBA)	54
Noise level -Spin (dBA)	72
Programs (course)	9
Refresh	
Allergy Care	
Baby Care	0
Skin care	
Cotton	0
Cotton Eco	0
Cotton Quick	
Synthetic(Easy care)	0
Daily wash	
Mix load	
Dark wash	
Sports wear	

Silent wash	
Delicate	0
Hand Wash/Wool	0
Quick30	0
Duvet (Bulky)	0
Half load+	
Intensive 60	
White	
Bed cover (Blanket)	
Boiling Care	
Bio Care	
Rinse+Spin	0
Spin	
Drain	
Dry Only	
Wash+Dry(6kg/6kg)	
Cupboard Dry	
Iron Dry	
Low Temp Dry	
Time Dry	
Additional Options	8
Prewash	0
Soak	
Normal	
Rinse Hold	0
Normal+ Hold	
Rinse+	
Rinse++	
Rinse+ Hold	
Rinse+ Spin	
Steam wash	
Medic Rinse	0
Intensive	0
Crease Care(Wrinkle free)	0
Tub Clean	
Spin Only	
No Spin	0
Child-Lock	0
Beeper On/Off	
BIO	
Time Delay	0
Favorite	
Water Plus	
Time save	
Dry	
Dimension	0
Dimension (W*D*H)	600x440x850 mm
Dimension with packing (W*D*H)	660x540x890 mm
Weight(kg)	59
Weight with packing(kg)	64
Adjustable Leg	10

Model	F10C3LD
Tool	Mega CK
Suffix	ABWPCOM
Type	SL
Origin	China
Features	
Model type	Front loader
Color	White
Max Wash Capacity(kg)	5
Max Dry Capacity(kg)	-
Drum Volume(L)	44
Intelligent Washing System	O
Auto Balance	O
Load detect	O
Foam sensing & removal	O
Variable Spin speed	1000/800/400/No spin
Variable Temperature(°C)	Cold/30/40/60/95 °C
Cycle Reserve System	O
Standby Power zero	O
Spray Rinse system	-
Door Switch type	Manual Door
Motor type	Direct Drive
Display	Non display
Steam	-
Inner Drum	Embossing
Drum Lifter	Normal Lifter
Smart Diagnosis	O
Door size(mm)	300 mm
Door Opening Angle(°)	180°
Door Rim	White
Aqua-Lock	-
6 Motion	-
Performance	
Water Consumption (wash)(L)	48
Water Consumption (dry)(L)	-
Energy Consumption cold(kWh)	0.75
Cycle Time (Default+Half load)(min.)	72
Energy Efficiency Class	A++
Washing Performance	A
Spin Drying Class	B
Spin Drying Performance (%)	0.58
Noise level -Wash (dBA)	56
Noise level -Spin (dBA)	74
Programs (course)	9
Refresh	
Allergy Care	
Baby Care	0
Skin care	
Cotton	0
Cotton Eco	0
Cotton Quick	
Synthetic(Easy care)	0
Daily wash	
Mix load	
Dark wash	
Sports wear	

Silent wash	
Delicate	0
Hand Wash/Wool	0
Quick30	0
Duvet (Bulky)	
Half load+	
Intensive 60	
White	
Bed cover (Blanket)	0
Boiling Care	
Bio Care	
Rinse+Spin	0
Spin	
Drain	
Dry Only	
Wash+Dry(6kg/6kg)	
Cupboard Dry	
Iron Dry	
Low Temp Dry	
Time Dry	
Additional Options	5
Prewash	0
Soak	
Normal	
Rinse Hold	0
Normal+ Hold	
Rinse+	
Rinse++	
Rinse+ Hold	
Rinse+ Spin	
Steam wash	
Medic Rinse	
Intensive	0
Crease Care(Wrinkle free)	
Tub Clean	
Spin Only	
No Spin	0
Child-Lock	0
Beeper On/Off	
BIO	
Time Delay	
Favorite	
Water Plus	
Time save	
Dry	
Dimension	
Dimension (W*D*H)	600x440x850 mm
Dimension with packing (W*D*H)	660x540x890 mm
Weight(kg)	59
Weight with packing(kg)	64
Adjustable Leg	10

Model	F12A8HD5
Tool	Prime Smart
Suffix	ALSPCOM
Type	SL
Origin	China
Features	
Model type	Front Loading
Color	Silver
Max Wash Capacity(kg)	7
Max Dry Capacity(kg)	-
Drum Volume(L)	44
Intelligent Washing System	O
Auto Balance	O
Load detect	O
Foam sensing & removal	O
Variable Spin speed	1200/1000/800/400/No spin
Variable Temperature(°C)	Cold/30/40/60/95 oC
Cycle Reserve System	O
Standby Power zero	O
Spray Rinse system	O
Door Switch type	Auto Door
Motor type	Direct Drive
Display	Touch LED
Steam	
Inner Drum	Embossing
Drum Lifter	Normal Lifter
Smart Diagnosis	O
Door size(mm)	350 mm
Door Opening Angle(°)	170°
Door Rim	Chrome Hairline
Aqua-Lock	-
6 Motion	O
Performance	
Water Consumption (wash)(L)	63
Water Consumption (dry)(L)	
Energy Consumption cold(kWh)	1.05
Cycle Time (Default+Half load)(min.)	92
Energy Efficiency Class	A++
Washing Performance	A
Spin Drying Class	B
Spin Drying Performance (%)	0.53
Noise level -Wash (dBA)	53
Noise level -Spin (dBA)	70
Programs (course)	14
Refresh	
Allergy Care	
Baby Care	0
Skin care	0
Cotton	0
Cotton Eco	0
Cotton Quick	
Synthetic(Easy care)	
Daily wash	0
Mix load	0
Dark wash	0
Sports wear	0

Silent wash	0
Delicate	0
Hand Wash/Wool	0
Quick30	0
Duvet (Bulky)	0
Half load+	
Intensive 60	0
White	
Bed cover (Blanket)	
Boiling Care	
Bio Care	
Rinse+Spin	
Spin	
Drain	
Dry Only	
Wash+Dry(6kg/6kg)	
Cupboard Dry	
Iron Dry	
Low Temp Dry	
Time Dry	
Additional Options	18
Prewash	0
Soak	
Normal	0
Rinse Hold	
Normal+ Hold	0
Rinse+	0
Rinse++	0
Rinse+ Hold	0
Rinse+ Spin	0
Steam wash	
Medic Rinse	0
Intensive	0
Crease Care(Wrinkle free)	0
Tub Clean	0
Spin Only	0
No Spin	0
Child-Lock	0
Beeper On/Off	0
BIO	
Time Delay	0
Favorite	0
Water Plus	
Time save	0
Dry	
Dimension	
Dimension (W*D*H)	600x440x850 mm
Dimension with packing (W*D*H)	660x550x885 mm
Weight(kg)	60
Weight with packing(kg)	64
Adjustable Leg	10

Model	F12A8HDS5
Tool	Prime Smart
Suffix	ALSPCOM
Type	SL
Origin	China
Features	
Model type	Front Loading
Color	Silver
Max Wash Capacity(kg)	7
Max Dry Capacity(kg)	-
Drum Volume(L)	44
Intelligent Washing System	O
Auto Balance	O
Load detect	O
Foam sensing & removal	O
Variable Spin speed	1200/1000/800/400/No spin
Variable Temperature(°C)	Cold/30/40/60/95 °C
Cycle Reserve System	O
Standby Power zero	O
Spray Rinse system	O
Door Switch type	Auto Door
Motor type	Direct Drive
Display	Touch LED
Steam	O
Inner Drum	Embossing
Drum Lifter	Normal Lifter
Smart Diagnosis	O
Door size(mm)	350 mm
Door Opening Angle(°)	120°
Door Rim	Black
Aqua-Lock	-
6 Motion	O
Performance	
Water Consumption (wash)(L)	63
Water Consumption (dry)(L)	-
Energy Consumption cold(kWh)	1.05
Cycle Time (Default+Half load)(min.)	92
Energy Efficiency Class	A++
Washing Performance	A
Spin Drying Class	B
Spin Drying Performance (%)	0.53
Noise level -Wash (dBA)	53
Noise level -Spin (dBA)	70
Programs (course)	14
Refresh	0
Allergy Care	0
Baby Care	
Skin care	
Cotton	0
Cotton Eco	0
Cotton Quick	
Synthetic(Easy care)	
Daily wash	0
Mix load	0
Dark wash	0
Sports wear	0

Silent wash	0
Delicate	0
Hand Wash/Wool	0
Quick30	0
Duvet (Bulky)	0
Half load+	
Intensive 60	0
White	
Bed cover (Blanket)	
Boiling Care	
Bio Care	
Rinse+Spin	
Spin	
Drain	
Dry Only	
Wash+Dry(6kg/6kg)	
Cupboard Dry	
Iron Dry	
Low Temp Dry	
Time Dry	
Additional Options	18
Prewash	0
Soak	
Normal	0
Rinse Hold	
Normal+ Hold	0
Rinse+	0
Rinse++	0
Rinse+ Hold	0
Rinse+ Spin	0
Steam wash	0
Medic Rinse	0
Intensive	0
Crease Care(Wrinkle free)	
Tub Clean	0
Spin Only	0
No Spin	0
Child-Lock	0
Beeper On/Off	0
BIO	
Time Delay	0
Favorite	0
Water Plus	
Time save	0
Dry	
Dimension	
Dimension (W*D*H)	600x440x850 mm
Dimension with packing (W*D*H)	660x550x890 mm
Weight(kg)	62
Weight with packing(kg)	66
Adjustable Leg	10

Model	F12B8MD
Tool	Mega II Pro
Suffix	ABWPCOM
Type	SL
Origin	China
Features	
Model type	Front loader
Color	White
Max Wash Capacity(kg)	5.5
Max Dry Capacity(kg)	-
Drum Volume(L)	44
Intelligent Washing System	O
Auto Balance	O
Load detect	O
Foam sensing & removal	O
Variable Spin speed	1200/1000/800/400/No spin
Variable Temperature(°C)	Cold/30/40/60/95 °C
Cycle Reserve System	O
Standby Power zero	O
Spray Rinse system	O
Door Switch type	Manual Door
Motor type	Direct Drive
Display	Big LED
Steam	-
Inner Drum	Embossing
Drum Lifter	Normal Lifter
Smart Diagnosis	O
Door size(mm)	300 mm
Door Opening Angle(°)	180°
Door Rim	Silver
Aqua-Lock	-
6 Motion	O
Performance	
Water Consumption (wash)(L)	56
Water Consumption (dry)(L)	-
Energy Consumption cold(kWh)	1.02
Cycle Time (Default+Half load)(min.)	72
Energy Efficiency Class	A++
Washing Performance	A
Spin Drying Class	B
Spin Drying Performance (%)	0.58
Noise level -Wash (dBA)	54
Noise level -Spin (dBA)	72
Programs (course)	13
Refresh	
Allergy Care	
Baby Care	0
Skin care	0
Cotton	0
Cotton Eco	0
Cotton Quick	
Synthetic(Easy care)	0
Daily wash	
Mix load	0
Dark wash	
Sports wear	0

Silent wash	
Delicate	0
Hand Wash/Wool	0
Quick30	0
Duvet (Bulky)	0
Half load+	
Intensive 60	0
White	
Bed cover (Blanket)	
Boiling Care	
Bio Care	
Rinse+Spin	0
Spin	
Drain	
Dry Only	
Wash+Dry(6kg/6kg)	
Cupboard Dry	
Iron Dry	
Low Temp Dry	
Time Dry	
Additional Options	9
Prewash	0
Soak	
Normal	
Rinse Hold	0
Normal+ Hold	
Rinse+	
Rinse++	
Rinse+ Hold	
Rinse+ Spin	
Steam wash	
Medic Rinse	0
Intensive	0
Crease Care(Wrinkle free)	0
Tub Clean	0
Spin Only	
No Spin	0
Child-Lock	0
Beeper On/Off	
BIO	
Time Delay	0
Favorite	
Water Plus	
Time save	
Dry	
Dimension	0
Dimension (W*D*H)	600x440x850 mm
Dimension with packing (W*D*H)	660x540x890 mm
Weight(kg)	59
Weight with packing(kg)	64
Adjustable Leg	10

Model	F12B8ND
Tool	Mega II Pro
Suffix	ABWPCOM
Type	SL
Origin	China
Features	
Model type	Front loader
Color	White
Max Wash Capacity(kg)	6
Max Dry Capacity(kg)	-
Drum Volume(L)	46
Intelligent Washing System	O
Auto Balance	O
Load detect	O
Foam sensing & removal	O
Variable Spin speed	1200/1000/800/400/No spin
Variable Temperature(°C)	Cold/30/40/60/95 °C
Cycle Reserve System	O
Standby Power zero	O
Spray Rinse system	O
Door Switch type	Manual Door
Motor type	Direct Drive
Display	Big LED
Steam	-
Inner Drum	Embossing
Drum Lifter	Waved Lifter
Smart Diagnosis	O
Door size(mm)	300 mm
Door Opening Angle(°)	180°
Door Rim	White
Aqua-Lock	-
6 Motion	O
Performance	
Water Consumption (wash)(L)	56
Water Consumption (dry)(L)	-
Energy Consumption cold(kWh)	1.02
Cycle Time (Default+Half load)(min.)	72
Energy Efficiency Class	A++
Washing Performance	A
Spin Drying Class	B
Spin Drying Performance (%)	0.54
Noise level -Wash (dBA)	54
Noise level -Spin (dBA)	72
Programs (course)	13
Refresh	
Allergy Care	
Baby Care	0
Skin care	0
Cotton	0
Cotton Eco	0
Cotton Quick	
Synthetic(Easy care)	0
Daily wash	
Mix load	0
Dark wash	
Sports wear	0

Silent wash	
Delicate	0
Hand Wash/Wool	0
Quick30	0
Duvet (Bulky)	0
Half load+	
Intensive 60	0
White	
Bed cover (Blanket)	
Boiling Care	
Bio Care	
Rinse+Spin	0
Spin	
Drain	
Dry Only	
Wash+Dry(6kg/6kg)	
Cupboard Dry	
Iron Dry	
Low Temp Dry	
Time Dry	
Additional Options	9
Prewash	0
Soak	
Normal	
Rinse Hold	0
Normal+ Hold	
Rinse+	
Rinse++	
Rinse+ Hold	
Rinse+ Spin	
Steam wash	
Medic Rinse	0
Intensive	0
Crease Care(Wrinkle free)	0
Tub Clean	0
Spin Only	
No Spin	0
Child-Lock	0
Beeper On/Off	
BIO	
Time Delay	0
Favorite	
Water Plus	
Time save	
Dry	
Dimension	0
Dimension (W*D*H)	600x440x850 mm
Dimension with packing (W*D*H)	660x540x890 mm
Weight(kg)	58
Weight with packing(kg)	62
Adjustable Leg	10