

Philips Monitor

Wellbeing Series

<b>Model</b>	
Silver	<b>241P4QRYES/00</b>
Black	
Screen size	24" / 61cm
<b>Picture / Display</b>	
LCD Panel type	AMVA
Backlighting	W-LED
Optimum resolution	1920x1080
Aspect ratio	16.9
Viewing angle (CR10)	178/178
Brightness (cd/m2)	250
Contrast ratio (typical)	<b>5000:01:00</b>
SmartContrast ratio	20M:1
Smart Response time	4ms GtG
Pixel pitch	0,277
Adobe RGB	
<b>Connectivity</b>	
VGA (Analog video signal)	1 x
DVI (Digital video signal)	1 x
HDMI (Digital video signal)	
DisplayPort / Daisy chain	1 x / -
USB	3 x 2.0
Audio in / Headphone out	• / •
<b>Features</b>	
Speakers	•
Webcam & Microphone	
SmartControl software	Yes, Premium
Multiview	
SoftBlue	
Wifi / Bluetooth/ Miracast	- / - / -
<b>Physical Specifications / Ergonomics</b>	
ErgoSensor	•
Height adjustment / Pivot / Swivel	130 mm / • / •
Tilt	•
Weight with stand	5,3 kg
Dimensions with stand WxHxD	565 x 521 x 220 mm
Dimensions without stand WxHxD	565 x 353 x 61 mm
VESA mount (mm)	100 x 100
<b>Energy efficiency</b>	
PowerSensor	•
SmartPower	•
On mode (W)	21,6
Standby mode (W)	0,2
Off mode (W)	0 (Zero Switch)
Power supply	Internal, AC100-240VAC, 50-60Hz
<b>Approvals</b>	
TCO Certified Display	TCO 6.0
TCO Edge	•
EPEAT	Gold
Energy Star	EPA 6.0
<b>Accessories</b>	
Powercable included	•
VGA cable included	•

- DVI cable included •
- HDMI cable included
- DisplayPort cable included
- Audio cable included •
- USB cable included

**Compatibility**

- Windows / Mac OS • / •

<b>Model</b>	
Silver	<b>241P6EPJES/00</b>
Black	
Screen size	23.8" / 60,5cm
<b>Picture / Display</b>	
LCD Panel type	AH-IPS
Backlighting	W-LED
Optimum resolution	1920x1080
Aspect ratio	16.9
Viewing angle (CR10)	178/178
Brightness (cd/m2)	250
Contrast ratio (typical)	<b>1000:01:00</b>
SmartContrast ratio	20M:1
Smart Response time	5ms GtG
Pixel pitch	0,277
Adobe RGB	
<b>Connectivity</b>	
VGA (Analog video signal)	1 x
DVI (Digital video signal)	1 x
HDMI (Digital video signal)	1 x
DisplayPort / Daisy chain	1 x / -
USB	4 x 3.0+ faster charger
Audio in / Headphone out	• / •
<b>Features</b>	
Speakers	•
Webcam & Microphone	
SmartControl software	Yes, Premium
Multiview	
SoftBlue	•
Wifi / Bluetooth/ Miracast	- / - / -
<b>Physical Specifications / Ergonomics</b>	
ErgoSensor	
Height adjustment / Pivot / Swivel	130 mm / • / •
Tilt	•
Weight with stand	6,47 kg
Dimensions with stand WxHxD	531 x 422 x 256 mm
Dimensions without stand WxHxD	531 x 363 x 52 mm
VESA mount (mm)	100 x 100
<b>Energy efficiency</b>	
PowerSensor	•
SmartPower	•
On mode (W)	14
Standby mode (W)	0,3
Off mode (W)	0 (Zero Switch)
Power supply	Internal, AC100-240VAC, 50-60Hz
<b>Approvals</b>	
TCO Certified Display	TCO 6.0
TCO Edge	•
EPEAT	Gold
Energy Star	EPA 6.0
<b>Accessories</b>	
Powercable included	•
VGA cable included	•

- DVI cable included •
- HDMI cable included
- DisplayPort cable included •
- Audio cable included •
- USB cable included

**Compatibility**

- Windows / Mac OS • / •

Philips Monitor

Green Series

<b>Model</b>	<b>220B4LPCS/00</b>
Silver	<b>220B4LPCB/00</b>
Black	
Screen size	22" / 55,9 cm
<b>Picture / Display</b>	
LCD Panel type	TN
Backlighting	W-LED
Optimum resolution	1680x1050
Aspect ratio	<b>16.1</b>
Viewing angle (CR10)	170/160
Brightness (cd/m2)	250
<b>Contrast ratio (typical)</b>	<b>1000:01:00</b>
SmartContrast ratio	20M:1
Smart Response time	5ms
Pixel pitch	0,282
Adobe RGB	
<b>Connectivity</b>	
VGA (Analog video signal)	1 x
DVI (Digital video signal)	1 x
HDMI (Digital video signal)	
DisplayPort / Daisy chain	
USB	2 x 2.0
Audio in / Headphone out	• / •
<b>Features</b>	
Speakers	•
Webcam & Microphone	
SmartControl software	Yes, Premium
Multiview	
SoftBlue	
Wifi / Bluetooth/ Miracast	
<b>Physical Specifications / Ergonomics</b>	
ErgoSensor	
Height adjustment / Pivot / Swivel	110 mm / • / •
Tilt	•
Weight with stand	5,2 kg
Dimensions with stand WxHxD	504 x 509 x 227 mm
Dimensions without stand WxHxD	504 x 349 x 59 mm
VESA mount (mm)	100 x 100
<b>Energy efficiency</b>	
PowerSensor	•
SmartPower	
On mode (W)	15,8
Standby mode (W)	0,3
Off mode (W)	0 (Zero Switch)
Power supply	Internal, AC100-240VAC, 50-60Hz
<b>Approvals</b>	
TCO Certified Display	TCO 6.0
TCO Edge	•
EPEAT	Gold
Energy Star	EPA 6.0
<b>Accessories</b>	
Powercable included	•
VGA cable included	•

- DVI cable included
- HDMI cable included
- DisplayPort cable included
- Audio cable included
- USB cable included

•

•

**Compatibility**

Windows / Mac OS

• / •

<b>Model</b>	<b>220P4LPYES/00</b>
Silver	
Black	
Screen size	22" / 55,9 cm
<b>Picture / Display</b>	
LCD Panel type	TN
Backlighting	W-LED
Optimum resolution	1680x1050
Aspect ratio	<b>16.1</b>
Viewing angle (CR10)	170/160
Brightness (cd/m2)	250
<b>Contrast ratio (typical)</b>	<b>1000:01:00</b>
SmartContrast ratio	20M:1
Smart Response time	5ms
Pixel pitch	0,282
Adobe RGB	
<b>Connectivity</b>	
VGA (Analog video signal)	1 x
DVI (Digital video signal)	1 x
HDMI (Digital video signal)	
DisplayPort / Daisy chain	
USB	4 x 2.0
Audio in / Headphone out	● / ●
<b>Features</b>	
Speakers	●
Webcam & Microphone	
SmartControl software	Yes, Premium
Multiview	
SoftBlue	
Wifi / Bluetooth/ Miracast	
<b>Physical Specifications / Ergonomics</b>	
ErgoSensor	
Height adjustment / Pivot / Swivel	130 mm / ● / ●
Tilt	●
Weight with stand	5,5 kg
Dimensions with stand WxHxD	504 x 517 x 220 mm
Dimensions without stand WxHxD	504 x 349 x 59 mm
VESA mount (mm)	100 x 100
<b>Energy efficiency</b>	
PowerSensor	●
SmartPower	
On mode (W)	12,6
Standby mode (W)	0,3
Off mode (W)	0 (Zero Switch)
Power supply	Internal, AC100-240VAC, 50-60Hz
<b>Approvals</b>	
TCO Certified Display	TCO 6.0
TCO Edge	●
EPEAT	Gold
Energy Star	EPA 6.0
<b>Accessories</b>	
Powercable included	●
VGA cable included	●

- DVI cable included •
- HDMI cable included
- DisplayPort cable included
- Audio cable included •
- USB cable included

**Compatibility**

- Windows / Mac OS • / •

<b>Model</b>	<b>221B3LPCS/02</b>
Silver	<b>221B3LPCB/02</b>
Black	
Screen size	21.5" / 54,6 cm
<b>Picture / Display</b>	
LCD Panel type	TN
Backlighting	W-LED
Optimum resolution	1920x1080
Aspect ratio	16.9
Viewing angle (CR10)	170/160
Brightness (cd/m2)	250
Contrast ratio (typical)	<b>1000:01:00</b>
SmartContrast ratio	20M:1
Smart Response time	5ms
Pixel pitch	0,248
Adobe RGB	
<b>Connectivity</b>	
VGA (Analog video signal)	1 x
DVI (Digital video signal)	1 x
HDMI (Digital video signal)	
DisplayPort / Daisy chain	
USB	2 x 2.0
Audio in / Headphone out	• / •
<b>Features</b>	
Speakers	•
Webcam & Microphone	
SmartControl software	Yes, Premium
Multiview	
SoftBlue	
Wifi / Bluetooth/ Miracast	
<b>Physical Specifications / Ergonomics</b>	
ErgoSensor	
Height adjustment / Pivot / Swivel	70 mm / • / •
Tilt	•
Weight with stand	4.83 kg
Dimensions with stand WxHxD	507 x 400 x 220 mm
Dimensions without stand WxHxD	507 x 323 x 59 mm
VESA mount (mm)	100 x 100
<b>Energy efficiency</b>	
PowerSensor	•
SmartPower	
On mode (W)	11,8
Standby mode (W)	0,1
Off mode (W)	0 (Zero Switch)
Power supply	Internal, AC100-240VAC, 50-60Hz
<b>Approvals</b>	
TCO Certified Display	TCO 5.1
TCO Edge	
EPEAT	Gold
Energy Star	EPA 5.0
<b>Accessories</b>	
Powercable included	•
VGA cable included	•

- DVI cable included
- HDMI cable included
- DisplayPort cable included
- Audio cable included
- USB cable included

•

•

•

**Compatibility**

Windows / Mac OS

• / •

Philips Monitor

Cloud Series

<b>Model</b>	<b>SB4B1927CB</b>	
Solution	Citrix	
Core	TI DM8148	
Memory: ROM	4GB EMMC	
Memory: RAM	1GB DDRIII	
Monitor Size	PHILIPS B2B 19" - 29"	
Clients	1:Many	
Interface	LAN	
I/O Specifications	<ul style="list-style-type: none"><li>• DVI-Out Master</li><li>• DVI-Out</li><li>• RJ45</li></ul>	<ul style="list-style-type: none"><li>• USB x 4 (Down)</li><li>• Microphone</li><li>• Earphone</li></ul>

Model	SB4B1927VB	
Solution	VMware	
Core	Teradici TERA 2321	
Memory: ROM	32MB, Flash	
Memory: RAM	512MB DDRIII	
Monitor Size	PHILIPS B2B 19" - 29"	
Clients	1:Many	
Interface	LAN : WAN	
I/O Specifications	<ul style="list-style-type: none"> <li>• DVI-Out Master</li> <li>• DVI-Out</li> <li>• RJ45</li> <li>PCoIP</li> </ul>	<ul style="list-style-type: none"> <li>• USB x 4 (Down)</li> <li>• Microphone</li> <li>• Earphone</li> </ul>
System Specifications		

Philips Monitor

Image Series

<b>Model</b>	
Silver	
Black	<b>272B4QPJCB/00</b>
Screen size	27"W / 68,6 cm
<b>Picture / Display</b>	
LCD Panel type	IPS-AHVA
Backlighting	W-LED
Optimum resolution	2560x1440
Aspect ratio	16.9
Viewing angle (CR10)	178/178
Brightness (cd/m2)	350
Contrast ratio (typical)	<b>1000:01:00</b>
SmartContrast ratio	20M:1
Smart Response time	5ms GtG
Pixel pitch	0,233
Adobe RGB	
<b>Connectivity</b>	
VGA (Analog video signal)	1 x
DVI (Digital video signal)	1 x (Dual-Link)
HDMI (Digital video signal)	1 x
DisplayPort / Daisy chain	1 x / -
USB	4 x 3.0+ faster charger
Audio in / Headphone out	• / •
<b>Features</b>	
Speakers	•
Webcam & Microphone	
SmartControl software	Yes, Premium
Multiview	•
SoftBlue	
Wifi / Bluetooth/ Miracast	
<b>Physical Specifications / Ergonomics</b>	
ErgoSensor	
Height adjustment / Pivot / Swivel	120 mm / • / •
Tilt	•
Weight with stand	6,72 kg
Dimensions with stand WxHxD	639 x 540 x 244 mm
Dimensions without stand WxHxD	639 x 405 x 68 mm
VESA mount (mm)	100 x 100
<b>Energy efficiency</b>	
PowerSensor	•
SmartPower	
On mode (W)	TBC
Standby mode (W)	TBC
Off mode (W)	0 (Zero Switch)
Power supply	Internal, AC100-240VAC, 50-60Hz
<b>Approvals</b>	
TCO Certified Display	TCO 6.0
TCO Edge	•
EPEAT	Gold
Energy Star	EPA 6.0
<b>Accessories</b>	
Powercable included	•
VGA cable included	•

- DVI cable included • (Dual-Link)
- HDMI cable included
- DisplayPort cable included •
- Audio cable included •
- USB cable included

**Compatibility**

- Windows / Mac OS • / •

<b>Model</b>	
Silver	
Black	<b>272P4APJKHB/00</b>
Screen size	27" W / 68,6 cm
<b>Picture / Display</b>	
LCD Panel type	IPS-AHVA
Backlighting	W-LED
Optimum resolution	2560x1440
Aspect ratio	16.9
Viewing angle (CR10)	178/178
Brightness (cd/m2)	300
Contrast ratio (typical)	<b>1000:01:00</b>
SmartContrast ratio	20M:1
Smart Response time	5ms GtG
Pixel pitch	0,233
Adobe RGB	•
<b>Connectivity</b>	
VGA (Analog video signal)	
DVI (Digital video signal)	1 x (Dual-Link)
HDMI (Digital video signal)	2 x
DisplayPort / Daisy chain	1 x / -
USB	
Audio in / Headphone out	• / •
<b>Features</b>	
Speakers	•
Webcam & Microphone	•
SmartControl software	Yes, Premium
Multiview	•
SoftBlue	
Wifi / Bluetooth/ Miracast	
<b>Physical Specifications / Ergonomics</b>	
ErgoSensor	
Height adjustment / Pivot / Swivel	150 mm / • / •
Tilt	•
Weight with stand	7,5 kg
Dimensions with stand WxHxD	639 x 580 x 242 mm
Dimensions without stand WxHxD	639 x 405 x 64 mm
VESA mount (mm)	100 x 100
<b>Energy efficiency</b>	
PowerSensor	•
SmartPower	
On mode (W)	25
Standby mode (W)	0,5
Off mode (W)	0,3
Power supply	Internal, AC100-240VAC, 50-60Hz
<b>Approvals</b>	
TCO Certified Display	TCO 6.0
TCO Edge	•
EPEAT	Gold
Energy Star	EPA 6.0
<b>Accessories</b>	
Powercable included	•
VGA cable included	

- DVI cable included
  - HDMI cable included
  - DisplayPort cable included
  - Audio cable included
  - USB cable included
- (Dual-Link)
  - 
  - 
  - 
  -

**Compatibility**

- Windows / Mac OS
- / •

<b>Model</b>	
Silver	
Black	<b>272P4QPJKEB/00</b>
Screen size	27"W / 68,6 cm
<b>Picture / Display</b>	
LCD Panel type	PLS
Backlighting	W-LED
Optimum resolution	2560x1440
Aspect ratio	16.9
Viewing angle (CR10)	178/178
Brightness (cd/m2)	300
Contrast ratio (typical)	<b>1000:01:00</b>
SmartContrast ratio	20M:1
Smart Response time	6ms GtG
Pixel pitch	0,233
Adobe RGB	
<b>Connectivity</b>	
VGA (Analog video signal)	
DVI (Digital video signal)	1 x (Dual-Link)
HDMI (Digital video signal)	2 x
DisplayPort / Daisy chain	1 x / -
USB	3 x 3.0
Audio in / Headphone out	• / •
<b>Features</b>	
Speakers	•
Webcam & Microphone	
SmartControl software	Yes, Premium
Multiview	•
SoftBlue	
Wifi / Bluetooth/ Miracast	
<b>Physical Specifications / Ergonomics</b>	
ErgoSensor	
Height adjustment / Pivot / Swivel	150 mm / • / •
Tilt	•
Weight with stand	8,5 kg
Dimensions with stand WxHxD	639 x 580 x 242 mm
Dimensions without stand WxHxD	639 x 405 x 64 mm
VESA mount (mm)	100 x 100
<b>Energy efficiency</b>	
PowerSensor	•
SmartPower	
On mode (W)	39,2
Standby mode (W)	0,3
Off mode (W)	0 (Zero Switch)
Power supply	Internal, AC100-240VAC, 50-60Hz
<b>Approvals</b>	
TCO Certified Display	TCO 6.0
TCO Edge	•
EPEAT	Gold
Energy Star	EPA 6.0
<b>Accessories</b>	
Powercable included	•
VGA cable included	

- DVI cable included
  - HDMI cable included
  - DisplayPort cable included
  - Audio cable included
  - USB cable included
- (Dual-Link)
  - 
  - 
  - 
  -

**Compatibility**

- Windows / Mac OS
- / •

<b>Model</b>	
Silver	
Black	<b>272S4LPJCB/00</b>
Screen size	27" / 68,6 cm
<b>Picture / Display</b>	
LCD Panel type	TN
Backlighting	W-LED
Optimum resolution	2560x1440
Aspect ratio	16.9
Viewing angle (CR10)	170/160
Brightness (cd/m2)	350
Contrast ratio (typical)	<b>1000:01:00</b>
SmartContrast ratio	20M:1
Smart Response time	2ms GtG
Pixel pitch	0,233
Adobe RGB	
<b>Connectivity</b>	
VGA (Analog video signal)	1 x
DVI (Digital video signal)	1 x (Dual-Link)
HDMI (Digital video signal)	1 x (MHL)
DisplayPort / Daisy chain	1 x / -
USB	
Audio in / Headphone out	• / •
<b>Features</b>	
Speakers	•
Webcam & Microphone	
SmartControl software	Yes, Premium
Multiview	•
SoftBlue	
Wifi / Bluetooth/ Miracast	
<b>Physical Specifications / Ergonomics</b>	
ErgoSensor	
Height adjustment / Pivot / Swivel	120 mm / • / •
Tilt	•
Weight with stand	6,72 kg
Dimensions with stand WxHxD	639 x 540 x 244 mm
Dimensions without stand WxHxD	639 x 405 x 68 mm
VESA mount (mm)	100 x 100
<b>Energy efficiency</b>	
PowerSensor	•
SmartPower	•
On mode (W)	TBC
Standby mode (W)	TBC
Off mode (W)	TBC
Power supply	Internal, AC100-240VAC, 50-60Hz
<b>Approvals</b>	
TCO Certified Display	TCO 6.0
TCO Edge	•
EPEAT	Gold
Energy Star	EPA 6.0
<b>Accessories</b>	
Powercable included	•
VGA cable included	•

- DVI cable included • (Dual-Link)
- HDMI cable included •
- DisplayPort cable included •
- Audio cable included •
- USB cable included •

**Compatibility**

- Windows / Mac OS • / •

<b>Model</b>	
Silver	
Black	<b>288P6LJEB/00</b>
Screen size	28" W / 71,1 cm
<b>Picture / Display</b>	
LCD Panel type	TN
Backlighting	W-LED
Optimum resolution	3840x2160
Aspect ratio	16.9
Viewing angle (CR10)	170/170
Brightness (cd/m2)	300
Contrast ratio (typical)	<b>1000:01:00</b>
SmartContrast ratio	50M:1
Smart Response time	1ms GtG
Pixel pitch	0,16
Adobe RGB	
<b>Connectivity</b>	
VGA (Analog video signal)	1 x
DVI (Digital video signal)	1 x (Dual-Link)
HDMI (Digital video signal)	1 x (MHL)
DisplayPort / Daisy chain	1 x / -
USB	2 x 2.0 & 3 x 3.0
Audio in / Headphone out	• / •
<b>Features</b>	
Speakers	•
Webcam & Microphone	
SmartControl software	Yes, Premium
Multiview	•
SoftBlue	
Wifi / Bluetooth/ Miracast	
<b>Physical Specifications / Ergonomics</b>	
ErgoSensor	
Height adjustment / Pivot / Swivel	150 mm / • / •
Tilt	•
Weight with stand	8,04 kg
Dimensions with stand WxHxD	659 x 573 x 273 mm
Dimensions without stand WxHxD	659 x 395 x 49 mm
VESA mount (mm)	100 x 100
<b>Energy efficiency</b>	
PowerSensor	
SmartPower	
On mode (W)	41
Standby mode (W)	0,5
Off mode (W)	0 (Zero Switch)
Power supply	Internal, AC100-240VAC, 50-60Hz
<b>Approvals</b>	
TCO Certified Display	TCO 6.0
TCO Edge	•
EPEAT	Gold
Energy Star	EPA 6.0
<b>Accessories</b>	
Powercable included	•
VGA cable included	•

- DVI cable included
  - HDMI cable included
  - DisplayPort cable included
  - Audio cable included
  - USB cable included
- (Dual-Link)
  - 
  - 
  - 
  -

**Compatibility**

- Windows / Mac OS
- / •

<b>Model</b>	
Silver	
Black	<b>BDM3275UP/00</b>
Screen size	32" / 81,3 cm
<b>Picture / Display</b>	
LCD Panel type	IPS-AHVA
Backlighting	W-LED
Optimum resolution	3840x2160
Aspect ratio	16.9
Viewing angle (CR10)	178/178
Brightness (cd/m2)	350
Contrast ratio (typical)	1000:01:00
SmartContrast ratio	50M:1
Smart Response time	5ms GtG
Pixel pitch	0,18
Adobe RGB	
<b>Connectivity</b>	
VGA (Analog video signal)	1 x
DVI (Digital video signal)	1 x (Dual-Link)
HDMI (Digital video signal)	2 x (1 x MHL)
DisplayPort / Daisy chain	1 x / -
USB	4 x 3.0+ faster charger
Audio in / Headphone out	• / •
<b>Features</b>	
Speakers	•
Webcam & Microphone	
SmartControl software	Yes, Premium
Multiview	•
SoftBlue	
Wifi / Bluetooth/ Miracast	
<b>Physical Specifications / Ergonomics</b>	
ErgoSensor	
Height adjustment / Pivot / Swivel	180 mm / • / •
Tilt	•
Weight with stand	TBC
Dimensions with stand WxHxD	TBC
Dimensions without stand WxHxD	TBC
VESA mount (mm)	100 x 100
<b>Energy efficiency</b>	
PowerSensor	
SmartPower	
On mode (W)	TBC
Standby mode (W)	TBC
Off mode (W)	TBC
Power supply	Internal, AC100-240VAC, 50-60Hz
<b>Approvals</b>	
TCO Certified Display	TCO 6.0
TCO Edge	•
EPEAT	Gold
Energy Star	EPA 6.0
<b>Accessories</b>	
Powercable included	•
VGA cable included	•

- DVI cable included
  - HDMI cable included
  - DisplayPort cable included
  - Audio cable included
  - USB cable included
- (Dual-Link)
  - 
  - 
  -

**Compatibility**

- Windows / Mac OS
- / •

<b>Model</b>	
Silver	
Black	<b>BDM3470UP/00</b>
Screen size	34" / 86,7 cm
<b>Picture / Display</b>	
LCD Panel type	AH-IPS
Backlighting	W-LED
Optimum resolution	3440x1440
Aspect ratio	16.9
Viewing angle (CR10)	178/178
Brightness (cd/m2)	320
Contrast ratio (typical)	<b>1000:01:00</b>
SmartContrast ratio	40M:1
Smart Response time	5ms GtG
Pixel pitch	0,232
Adobe RGB	
<b>Connectivity</b>	
VGA (Analog video signal)	1 x
DVI (Digital video signal)	1 x (Dual-Link)
HDMI (Digital video signal)	1 x (MHL)
DisplayPort / Daisy chain	1 x / -
USB	2 x 2.0 & 2 x 3.0+ <b> faster charger</b>
Audio in / Headphone out	• / •
<b>Features</b>	
Speakers	•
Webcam & Microphone	
SmartControl software	Yes, Premium
Multiview	•
SoftBlue	
Wifi / Bluetooth/ Miracast	
<b>Physical Specifications / Ergonomics</b>	
ErgoSensor	
Height adjustment / Pivot / Swivel	180 mm / • / •
Tilt	•
Weight with stand	9,46 kg
Dimensions with stand WxHxD	828 x 627 x 270 mm
Dimensions without stand WxHxD	828 x 378 x 58 mm
VESA mount (mm)	100 x 100
<b>Energy efficiency</b>	
PowerSensor	
SmartPower	
On mode (W)	40,8
Standby mode (W)	0,4
Off mode (W)	0,3
Power supply	Internal, AC100-240VAC, 50-60Hz
<b>Approvals</b>	
TCO Certified Display	TCO 6.0
TCO Edge	•
EPEAT	Gold
Energy Star	EPA 6.0
<b>Accessories</b>	
Powercable included	•
VGA cable included	•

DVI cable included  
HDMI cable included  
DisplayPort cable included  
Audio cable included  
USB cable included

• (Dual-Link)

- 
- 
- 

**Compatibility**

Windows / Mac OS

• / •

<b>Model</b>	
Silver	
Black	<b>BDM4065UC/00</b>
Screen size	39.56" / 100,5 cm
<b>Picture / Display</b>	
LCD Panel type	IPS-AHVA
Backlighting	W-LED
Optimum resolution	3840x2160
Aspect ratio	16.9
Viewing angle (CR10)	176/176
Brightness (cd/m2)	300
Contrast ratio (typical)	1000:01:00
SmartContrast ratio	50M:1
Smart Response time	3ms GtG
Pixel pitch	0,23
Adobe RGB	
<b>Connectivity</b>	
VGA (Analog video signal)	1 x
DVI (Digital video signal)	
HDMI (Digital video signal)	2 x (1 x MHL)
DisplayPort / Daisy chain	2 x (1 x mini) / -
USB	4 x 3.0+ faster charger
Audio in / Headphone out	• / •
<b>Features</b>	
Speakers	•
Webcam & Microphone	
SmartControl software	Yes, Premium
Multiview	•
SoftBlue	
Wifi / Bluetooth/ Miracast	
<b>Physical Specifications / Ergonomics</b>	
ErgoSensor	
Height adjustment / Pivot / Swivel	
Tilt	
Weight with stand	9,7 kg
Dimensions with stand WxHxD	904 x 589 x 213 mm
Dimensions without stand WxHxD	904 x 512 x 88 mm
VESA mount (mm)	200 x 200
<b>Energy efficiency</b>	
PowerSensor	
SmartPower	
On mode (W)	40,4
Standby mode (W)	0,5
Off mode (W)	0,3
Power supply	Internal, AC100-240VAC, 50-60Hz
<b>Approvals</b>	
TCO Certified Display	
TCO Edge	
EPEAT	
Energy Star	
<b>Accessories</b>	
Powercable included	•
VGA cable included	•

- DVI cable included
- HDMI cable included
- DisplayPort cable included
- Audio cable included
- USB cable included

- 
- 
- 

**Compatibility**

Windows / Mac OS

- / •