

Model		BD-W75SV
Loading Capacity (kg)		7.5
Spin Speed (r/min)		1600
Direct Drive Inverter		●
Washing Temperature		Max. 90°C
Drum Diameter (mm)		510
3D Sensor Control Wash		●
Self Cleaning Drum		●
Anti-Bacterial Shower Lifter		●
Dual Vibration Control System	4-Ply Liquid Load Balancer	●
	Hydraulic Suspensions	●
Anti-Vibration Sidewalls		●
Intelligent Sensor Systems	3D Vibration Sensor	●
	Dual Vibration Sensor	-
	Revolution Sensor	●
	Load Sensor	●
	Water Temperature Sensor	●
	Water Level Sensor	●
	Foam Detection Sensor	●
Variable Spin Speed		● (9 steps)
No Spin		●
Rinse Hold		●
Selectable Water Temperature		● (Cold, 30-90°C)
No. of Washing Programs		15
Washing Programs		Cotton
		Cotton Eco
		Rapid 15
		Synthetic
		Colors
		Delicate
		Outdoor
		Duvet
		Wool (Woolmark Approved)
		Allergy Care (Allergy UK Approved)
		Night Cycle
		Rinse & Spin
		Spin
		Drain
		Tub Clean
Optional Menus	Quick	●
	Intensive	●
	Prewash	●
	Extra Rinse	●
Program Selector		Jog Dial
Display		LCD
Auto Power Off		●
Fully Auto Restart		●
Standby Power Zero W		●
Child Lock		●
Reverse Flow Protection		●
Heat Protective Cover		●
180° Open Door		●

Removable Worktop for Under-Counter Installation		•
Timer Setting		Up to 24hr
Dimensions (mm)	:W	600
	:H	850
	:H (without Worktop)	820
	:D	560
Minimum Installation Dimensions (mm)	:W	606
	:H	823
	:D	563
Net Weight (kg)		70
Gross Weight (kg)		74
Color	:Body	Metallic Gray / Black / White
	:Center Ring	Metallic Gray
	:Door Ring	Black
	:Door Cover	Black

Model		BD-W85SV
Loading Capacity (kg)		8.5
Spin Speed (r/min)		1600
Direct Drive Inverter		●
Washing Temperature		Max. 90°C
Drum Diameter (mm)		510
3D Sensor Control Wash		●
Self Cleaning Drum		●
Anti-Bacterial Shower Lifter		●
Dual Vibration Control System	4-Ply Liquid Load Balancer	●
	Hydraulic Suspensions	●
Anti-Vibration Sidewalls		●
Intelligent Sensor Systems	3D Vibration Sensor	●
	Dual Vibration Sensor	-
	Revolution Sensor	●
	Load Sensor	●
	Water Temperature Sensor	●
	Water Level Sensor	●
Foam Detection Sensor		●
Variable Spin Speed		● (9 steps)
No Spin		●
Rinse Hold		●
Selectable Water Temperature		● (Cold, 30-90°C)
No. of Washing Programs		15
Washing Programs		Cotton Cotton Eco Rapid 15 Synthetic Colors Delicate Outdoor Duvet Wool (Woolmark Approved) Allergy Care (Allergy UK Approved) Night Cycle Rinse & Spin Spin Drain Tub Clean
Optional Menus	Quick	●
	Intensive	●
	Prewash	●
	Extra Rinse	●
Program Selector		Jog Dial
Display		LCD
Auto Power Off		●
Fully Auto Restart		●
Standby Power Zero W		●
Child Lock		●
Reverse Flow Protection		●
Heat Protective Cover		●
180° Open Door		●

Removable Worktop for Under-Counter Installation		•
Timer Setting		Up to 24hr
Dimensions (mm)	:W	600
	:H	850
	:H (without Worktop)	820
	:D	600
Minimum Installation Dimensions (mm)	:W	606
	:H	823
	:D	603
Net Weight (kg)		71
Gross Weight (kg)		75
Color	:Body	Metallic Gray / Black / White
	:Center Ring	Metallic Gray
	:Door Ring	Black
	:Door Cover	Black

Model		BD-W75SAE
Loading Capacity (kg)		7.5
Spin Speed (r/min)		1200
Direct Drive Inverter		-
Washing Temperature		Max. 90°C
Drum Diameter (mm)		510
3D Sensor Control Wash		●
Self Cleaning Drum		●
Anti-Bacterial Shower Lifter		●
Dual Vibration Control System	4-Ply Liquid Load Balancer	●
	Hydraulic Suspensions	●
Anti-Vibration Sidewalls		●
Intelligent Sensor Systems	3D Vibration Sensor	●
	Dual Vibration Sensor	-
	Revolution Sensor	●
	Load Sensor	●
	Water Temperature Sensor	●
	Water Level Sensor	●
Foam Detection Sensor		●
Variable Spin Speed		● (4 steps)
No Spin		●
Rinse Hold		●
Selectable Water Temperature		● (Cold, 30-90°C)
No. of Washing Programs		15
Washing Programs		Cotton Cotton Eco Rapid 15 Synthetic Colors Delicate Outdoor Duvet Wool (Woolmark Approved) Allergy Care (Allergy UK Approved) Night Cycle Rinse & Spin Spin Drain Tub Clean
Optional Menus	Quick	●
	Intensive	●
	Prewash	●
	Extra Rinse	●
Program Selector		Jog Dial
Display		LED
Auto Power Off		●
Fully Auto Restart		●
Standby Power Zero W		●
Child Lock		●
Reverse Flow Protection		-
Heat Protective Cover		●
180° Open Door		●

Removable Worktop for Under-Counter Installation		•
Timer Setting		Up to 24hr
Dimensions (mm)	:W	600
	:H	850
	:H (without Worktop)	820
	:D	560
Minimum Installation Dimensions (mm)	:W	606
	:H	823
	:D	563
Net Weight (kg)		65
Gross Weight (kg)		69
Color	:Body	White
	:Center Ring	Metallic Gray
	:Door Ring	Black
	:Door Cover	Black

Model		BD-W85SAE
Loading Capacity (kg)		8.5
Spin Speed (r/min)		1200
Direct Drive Inverter		-
Washing Temperature		Max. 90°C
Drum Diameter (mm)		510
3D Sensor Control Wash		●
Self Cleaning Drum		●
Anti-Bacterial Shower Lifter		●
Dual Vibration Control System	4-Ply Liquid Load Balancer	●
	Hydraulic Suspensions	●
Anti-Vibration Sidewalls		●
Intelligent Sensor Systems	3D Vibration Sensor	●
	Dual Vibration Sensor	-
	Revolution Sensor	●
	Load Sensor	●
	Water Temperature Sensor	●
	Water Level Sensor	●
	Foam Detection Sensor	●
Variable Spin Speed		● (4 steps)
No Spin		●
Rinse Hold		●
Selectable Water Temperature		● (Cold, 30-90°C)
No. of Washing Programs		15
Washing Programs		Cotton
		Cotton Eco
		Rapid 15
		Synthetic
		Colors
		Delicate
		Outdoor
		Duvet
		Wool (Woolmark Approved)
		Allergy Care (Allergy UK Approved)
		Night Cycle
		Rinse & Spin
		Spin
		Drain
		Tub Clean
Optional Menus	Quick	●
	Intensive	●
	Prewash	●
	Extra Rinse	●
Program Selector		Jog Dial
Display		LED
Auto Power Off		●
Fully Auto Restart		●
Standby Power Zero W		●
Child Lock		●
Reverse Flow Protection		-
Heat Protective Cover		●
180° Open Door		●

Removable Worktop for Under-Counter Installation		•
Timer Setting		Up to 24hr
Dimensions (mm)	:W	600
	:H	850
	:H (without Worktop)	820
	:D	600
Minimum Installation Dimensions (mm)	:W	606
	:H	823
	:D	603
Net Weight (kg)		67
Gross Weight (kg)		71
Color	:Body	White
	:Center Ring	Metallic Gray
	:Door Ring	Black
	:Door Cover	Black



Model		BD-W75SSE
Loading Capacity (kg)		7.5
Spin Speed (r/min)		1200
Direct Drive Inverter		-
Washing Temperature		Max. 90°C
Drum Diameter (mm)		510
3D Sensor Control Wash		●
Self Cleaning Drum		●
Anti-Bacterial Shower Lifter		●
Dual Vibration Control System	4-Ply Liquid Load Balancer	●
	Hydraulic Suspensions	●
Anti-Vibration Sidewalls		●
Intelligent Sensor Systems	3D Vibration Sensor	●
	Dual Vibration Sensor	-
	Revolution Sensor	●
	Load Sensor	●
	Water Temperature Sensor	●
	Water Level Sensor	●
	Foam Detection Sensor	●
Variable Spin Speed		● (4 steps)
No Spin		●
Rinse Hold		●
Selectable Water Temperature		-
No. of Washing Programs		15
Washing Programs		Cotton Cold
		Cotton 90°C
		Cotton 60°C
		Cotton 40°C
		Rapid 15
		Cotton Eco
		Synthetic 40°C
		Synthetic Cold
		Delicate 40°C
		Delicate Cold
		Wool (Woolmark Approved)
		Allergy Care (Allergy UK Approved)
		Rinse & Spin
		Spin
		Drain
Optional Menus	Quick	●
	Intensive	-
	Prewash	●
	Extra Rinse	●
Program Selector		Jog Dial
Display		LED
Auto Power Off		●
Fully Auto Restart		●
Standby Power Zero W		●
Child Lock		●
Reverse Flow Protection		-
Heat Protective Cover		-
180° Open Door		●

Removable Worktop for Under-Counter Installation		•
Timer Setting		Up to 16hr
Dimensions (mm)	:W	600
	:H	850
	:H (without Worktop)	820
	:D	560
Minimum Installation Dimensions (mm)	:W	606
	:H	823
	:D	563
Net Weight (kg)		65
Gross Weight (kg)		69
Color	:Body	White
	:Center Ring	Metallic Gray
	:Door Ring	Black
	:Door Cover	Black

Model		BD-W75SSP (MG-D)
Loading Capacity (kg)		7.5
Spin Speed (r/min)		1000
Direct Drive Inverter		-
Washing Temperature		Max. 90°C
Drum Diameter (mm)		510
3D Sensor Control Wash		-
Self Cleaning Drum		●
Anti-Bacterial Shower Lifter		●
Dual Vibration Control System	4-Ply Liquid Load Balancer	●
	Hydraulic Suspensions	●
Anti-Vibration Sidewalls		●
Intelligent Sensor Systems	3D Vibration Sensor	-
	Dual Vibration Sensor	●
	Revolution Sensor	●
	Load Sensor	●
	Water Temperature Sensor	●
	Water Level Sensor	●
Foam Detection Sensor		●
Variable Spin Speed		● (3 steps)
No Spin		●
Rinse Hold		●
Selectable Water Temperature		-
No. of Washing Programs		14
Washing Programs		Cotton Cold Cotton 90°C Cotton 60°C Cotton 40°C Rapid 15 Cotton Eco Synthetic 40°C Synthetic Cold Delicate Cold Wool (Woolmark Approved) Allergy Care (Allergy UK Approved) Rinse & Spin Spin Drain
Optional Menus	Quick	●
	Intensive	-
	Prewash	●
	Extra Rinse	●
Program Selector		Jog Dial
Display		LED
Auto Power Off		●
Fully Auto Restart		●
Standby Power Zero W		●
Child Lock		●
Reverse Flow Protection		-
Heat Protective Cover		-
180° Open Door		●

Removable Worktop for Under-Counter Installation		•
Timer Setting		Up to 12hr
Dimensions (mm)	:W	600
	:H	850
	:H (without Worktop)	820
	:D	560
Minimum Installation Dimensions (mm)	:W	606
	:H	823
	:D	563
Net Weight (kg)		65
Gross Weight (kg)		69
Color	:Body	Metallic Gray
	:Center Ring	Metallic Gray
	:Door Ring	Black
	:Door Cover	Black

Model		BD-W85SSP (MG-D)
Loading Capacity (kg)		8.5
Spin Speed (r/min)		1000
Direct Drive Inverter		-
Washing Temperature		Max. 90°C
Drum Diameter (mm)		510
3D Sensor Control Wash		-
Self Cleaning Drum		●
Anti-Bacterial Shower Lifter		●
Dual Vibration Control System	4-Ply Liquid Load Balancer	●
	Hydraulic Suspensions	●
Anti-Vibration Sidewalls		●
Intelligent Sensor Systems	3D Vibration Sensor	-
	Dual Vibration Sensor	●
	Revolution Sensor	●
	Load Sensor	●
	Water Temperature Sensor	●
	Water Level Sensor	●
Foam Detection Sensor		●
Variable Spin Speed		● (3 steps)
No Spin		●
Rinse Hold		●
Selectable Water Temperature		-
No. of Washing Programs		14
Washing Programs		Cotton Cold Cotton 90°C Cotton 60°C Cotton 40°C Rapid 15 Cotton Eco Synthetic 40°C Synthetic Cold Delicate Cold Wool (Woolmark Approved) Allergy Care (Allergy UK Approved) Rinse & Spin Spin Drain
Optional Menus	Quick	●
	Intensive	-
	Prewash	●
	Extra Rinse	●
Program Selector		Jog Dial
Display		LED
Auto Power Off		●
Fully Auto Restart		●
Standby Power Zero W		●
Child Lock		●
Reverse Flow Protection		-
Heat Protective Cover		-
180° Open Door		●

Removable Worktop for Under-Counter Installation		•
Timer Setting		Up to 12hr
Dimensions (mm)	:W	600
	:H	850
	:H (without Worktop)	820
	:D	600
Minimum Installation Dimensions (mm)	:W	606
	:H	823
	:D	603
Net Weight (kg)		67
Gross Weight (kg)		71
Color	:Body	Metallic Gray
	:Center Ring	Metallic Gray
	:Door Ring	Black
	:Door Cover	Black

Model		BD-W75SSP (WH)
Loading Capacity (kg)		7.5
Spin Speed (r/min)		1000
Direct Drive Inverter		-
Washing Temperature		Max. 90°C
Drum Diameter (mm)		510
3D Sensor Control Wash		-
Self Cleaning Drum		●
Anti-Bacterial Shower Lifter		●
Dual Vibration Control System	4-Ply Liquid Load Balancer	●
	Hydraulic Suspensions	●
Anti-Vibration Sidewalls		●
Intelligent Sensor Systems	3D Vibration Sensor	-
	Dual Vibration Sensor	●
	Revolution Sensor	●
	Load Sensor	●
	Water Temperature Sensor	●
	Water Level Sensor	●
	Foam Detection Sensor	●
Variable Spin Speed		● (3 steps)
No Spin		●
Rinse Hold		●
Selectable Water Temperature		-
No. of Washing Programs		14
Washing Programs		Cotton Cold
		Cotton 90°C
		Cotton 60°C
		Cotton 40°C
		Rapid 15
		Cotton Eco
		Synthetic 40°C
		Synthetic Cold
		Delicate Cold
		Wool (Woolmark Approved)
		Allergy Care (Allergy UK Approved)
		Rinse & Spin
		Spin
		Drain
Optional Menus	Quick	●
	Intensive	-
	Prewash	●
	Extra Rinse	●
Program Selector		Jog Dial
Display		LED
Auto Power Off		●
Fully Auto Restart		●
Standby Power Zero W		●
Child Lock		●
Reverse Flow Protection		-
Heat Protective Cover		-
180° Open Door		●

Removable Worktop for Under-Counter Installation		•
Timer Setting		Up to 12hr
Dimensions (mm)	:W	600
	:H	850
	:H (without Worktop)	820
	:D	560
Minimum Installation Dimensions (mm)	:W	606
	:H	823
	:D	563
Net Weight (kg)		65
Gross Weight (kg)		69
Color	:Body	White
	:Center Ring	White
	:Door Ring	White
	:Door Cover	None



Model		BD-W85SSP (WH)
Loading Capacity (kg)		8.5
Spin Speed (r/min)		1000
Direct Drive Inverter		-
Washing Temperature		Max. 90°C
Drum Diameter (mm)		510
3D Sensor Control Wash		-
Self Cleaning Drum		●
Anti-Bacterial Shower Lifter		●
Dual Vibration Control System	4-Ply Liquid Load Balancer	●
	Hydraulic Suspensions	●
Anti-Vibration Sidewalls		●
Intelligent Sensor Systems	3D Vibration Sensor	-
	Dual Vibration Sensor	●
	Revolution Sensor	●
	Load Sensor	●
	Water Temperature Sensor	●
	Water Level Sensor	●
Foam Detection Sensor		●
Variable Spin Speed		● (3 steps)
No Spin		●
Rinse Hold		●
Selectable Water Temperature		-
No. of Washing Programs		14
Washing Programs		Cotton Cold Cotton 90°C Cotton 60°C Cotton 40°C Rapid 15 Cotton Eco Synthetic 40°C Synthetic Cold Delicate Cold Wool (Woolmark Approved) Allergy Care (Allergy UK Approved) Rinse & Spin Spin Drain
Optional Menus	Quick	●
	Intensive	-
	Prewash	●
	Extra Rinse	●
Program Selector		Jog Dial
Display		LED
Auto Power Off		●
Fully Auto Restart		●
Standby Power Zero W		●
Child Lock		●
Reverse Flow Protection		-
Heat Protective Cover		-
180° Open Door		●

Removable Worktop for Under-Counter Installation		•
Timer Setting		Up to 12hr
Dimensions (mm)	:W	600
	:H	850
	:H (without Worktop)	820
	:D	600
Minimum Installation Dimensions (mm)	:W	606
	:H	823
	:D	603
Net Weight (kg)		67
Gross Weight (kg)		71
Color	:Body	White
	:Center Ring	White
	:Door Ring	White
	:Door Cover	None

Model		BD-W75SSP (WH-SB)
Loading Capacity (kg)		7.5
Spin Speed (r/min)		1000
Direct Drive Inverter		-
Washing Temperature		Max. 90°C
Drum Diameter (mm)		510
3D Sensor Control Wash		-
Self Cleaning Drum		●
Anti-Bacterial Shower Lifter		●
Dual Vibration Control System	4-Ply Liquid Load Balancer	●
	Hydraulic Suspensions	●
Anti-Vibration Sidewalls		●
Intelligent Sensor Systems	3D Vibration Sensor	-
	Dual Vibration Sensor	●
	Revolution Sensor	●
	Load Sensor	●
	Water Temperature Sensor	●
	Water Level Sensor	●
	Foam Detection Sensor	●
Variable Spin Speed		● (3 steps)
No Spin		●
Rinse Hold		●
Selectable Water Temperature		-
No. of Washing Programs		14
Washing Programs		Cotton Cold
		Cotton 90°C
		Cotton 60°C
		Cotton 40°C
		Rapid 15
		Cotton Eco
		Synthetic 40°C
		Synthetic Cold
		Delicate Cold
		Wool (Woolmark Approved)
		Allergy Care (Allergy UK Approved)
		Rinse & Spin
		Spin
		Drain
Optional Menus	Quick	●
	Intensive	-
	Prewash	●
	Extra Rinse	●
Program Selector		Jog Dial
Display		LED
Auto Power Off		●
Fully Auto Restart		●
Standby Power Zero W		●
Child Lock		●
Reverse Flow Protection		-
Heat Protective Cover		-
180° Open Door		●

Removable Worktop for Under-Counter Installation		•
Timer Setting		Up to 12hr
Dimensions (mm)	:W	600
	:H	850
	:H (without Worktop)	820
	:D	560
Minimum Installation Dimensions (mm)	:W	606
	:H	823
	:D	563
Net Weight (kg)		65
Gross Weight (kg)		69
Color	:Body	White
	:Center Ring	Metallic Gray
	:Door Ring	Black
	:Door Cover	Black

Model		BD-W85SSP (WH-SB)
Loading Capacity (kg)		8.5
Spin Speed (r/min)		1000
Direct Drive Inverter		-
Washing Temperature		Max. 90°C
Drum Diameter (mm)		510
3D Sensor Control Wash		-
Self Cleaning Drum		●
Anti-Bacterial Shower Lifter		●
Dual Vibration Control System	4-Ply Liquid Load Balancer	●
	Hydraulic Suspensions	●
Anti-Vibration Sidewalls		●
Intelligent Sensor Systems	3D Vibration Sensor	-
	Dual Vibration Sensor	●
	Revolution Sensor	●
	Load Sensor	●
	Water Temperature Sensor	●
	Water Level Sensor	●
Foam Detection Sensor		●
Variable Spin Speed		● (3 steps)
No Spin		●
Rinse Hold		●
Selectable Water Temperature		-
No. of Washing Programs		14
Washing Programs		Cotton Cold Cotton 90°C Cotton 60°C Cotton 40°C Rapid 15 Cotton Eco Synthetic 40°C Synthetic Cold Delicate Cold Wool (Woolmark Approved) Allergy Care (Allergy UK Approved) Rinse & Spin Spin Drain
Optional Menus	Quick	●
	Intensive	-
	Prewash	●
	Extra Rinse	●
Program Selector		Jog Dial
Display		LED
Auto Power Off		●
Fully Auto Restart		●
Standby Power Zero W		●
Child Lock		●
Reverse Flow Protection		-
Heat Protective Cover		-
180° Open Door		●

Removable Worktop for Under-Counter Installation		•
Timer Setting		Up to 12hr
Dimensions (mm)	:W	600
	:H	850
	:H (without Worktop)	820
	:D	600
Minimum Installation Dimensions (mm)	:W	606
	:H	823
	:D	603
Net Weight (kg)		67
Gross Weight (kg)		71
Color	:Body	White
	:Center Ring	Metallic Gray
	:Door Ring	Black
	:Door Cover	Black